

CME PELLET COOLERS

PRODUCT SPECIFICATIONS



**MILL-C24
PELLET COOLER
3HP**



**MILL- C12 PELLET
COOLER 2HP**



**MILL-C6 PELLET
COOLER 2HP**



**MILL-C4
PELLET COOLER
2HP**

Capacity/HR	10–24 TONS	6-12 TONS	3–6 TONS	1–4 TONS
Max Capacity		107 Cubic Ft		
Approx. Dims.	96" L x 92" W x 169" H	-	84" L x 56" W x 159" H	47" L x 44" W x 129" H
Variable Swing Discharge Grid	2,400 × 2,400 mm	1,900 × 1,900 mm	1,400 × 1,400 mm	1,000 × 1,000 mm
Weight	10,000 LBS	4,900 LBS	3,010 LBS	2,800 LBS
Cooler Weight	-	4000 LBS	2,200 LBS	1,400 LBS
Cyclone Weight	-	900 LBS	810 LBS	600 LBS
Cyclone Airlock Discharge	-	37.16"	-	-
Include Level Sensor	Yes	Yes	Yes	Yes
Air System Blower	-	4,900 CFM at 12" static pressure	-	-
Cooler Infeed Height	-	166.6" MIN – 202.5" MAX	-	-
Cooler Discharge Height	-	17.6" – 53.6"	-	-

TECHNICAL ADVANTAGES

- ▶ Variable swing discharge grid
- ▶ Heavy-duty construction
- ▶ Easy maintenance
- ▶ Heavy-duty Cleveland gearbox
- ▶ Ultra diffusion spreader with 4-way adjustment
- ▶ Triple grid system for minimal product breakage
- ▶ Ultra compact footprint
- ▶ Powder coated with FDA-approved materials
- ▶ Manway Door
- ▶ Safety interlock
- ▶ Designed, built, & supported in the USA
- ▶ CME's Signature 1-Year Manufacturer's Warranty

HAMMERMILL COMMON MATERIALS

- ▶ Alfalfa
- ▶ Corn
- ▶ General Feed
- ▶ Hemp/Cannabis
- ▶ Oats
- ▶ Poultry Litter
- ▶ Soybean Meal
- ▶ Wheat
- ▶ Fertilizer
- ▶ Carbon
- ▶ Wood
- ▶ Wood Grill Pellets
- ▶ Plastics



*Our equipment is engineered in
the USA and supported in the USA*

Lifetime Engineering, Technical & Application Support